



www.lidertrailer.com

SINCE
1987

enes
GROUP

enes[®] GROUP

LIDER
TRAILER

AHREN
AHREN METAL MAK. GIDA
DIŞ. TIC. SAN. ve TIC. LTD. ŞTİ



enes metal
STEEL CONSTRUCTION



LIDER
TRAILER

PRODUCT
CATALOG

ENES GROUP

Büyük Kayalık Mah. 508. Sk. No:8/1 Selçuklu / KONYA / TURKEY

Tel: +(90) 533 740 31 01 - Gsm: +(90) 505 355 15 27

sales@lidertrailer.com

#Lidertrailerturkey

LIDER

TRAILER

ENES GROUP

Büyük Kayacık Mah. 508.Sk No: 8/1
SELÇUKLU/ KONYA/ TURKEY

Phone: +(90) 533 740 31 01

Gsm: +(90) 505 355 15 27

sales@lidertrailer.com

www.lidertrailer.com



LIDER



TRAILER

LIDER TRAILER; Tankers and semi-trailers in Turkey in 38000 M² area for more flexible manufacturing .
Our company was founded on several principles built on high quality and customer satisfaction to the highest degree.

LIDER TRAILER has a long history spanning from grandfather to grandson, as the company started its first activity in 1987 in the steel trade. The company expanded its activity in the steel trade until it opened a factory for the manufacture of trailer and trailers axles.
From here our company started to make its way towards making trailers and exporting them to most of the countries of the world.

Our company began to manufacture trailers in 1998 for the global market. LIDER TRAILER has exported trailers to most countries in Europe, Africa, the Middle East and South America. The manufacturing is processing in our company depending on the customer's request to make the best solutions in the transportation, construction and many other industrial fields. Our company offers modern trailer models that suit the industrial field solutions for customers to complete the work without errors.

LIDER TRAILER has obtained the best international and European quality certificates such as ISO,SGS,TUV,CNIT,TSE and many other certificates that prove that our company is one of the best trailer manufacturers in the world.



3 axle Lowbed

Due to the variable loads in size, type, and weight, this model of trailer is usually used as the main trailer for transportation. These trailers are usually used to transport industrial machines, construction machinery, and heavy industrial equipment.

From 3 to 6 axles, these trailers also have a hydraulic drive system that is controlled remotely or by truck.

- Hydraulic steering systems (optional)
- Self Steering axle systems (Lider Axles)
- Extendable (optional)
- Different suspension systems (Mechanical –Air)
- Manufacturing with special size and type according to load
- Custom designz
- Manufacturing according to your work and transport



Axle : 3 x 14- 16 Tons
Wheels : 245/70 - 17,5
235/75 - 19,5
275/70 - 22,5
12R - 22,5



Air Suspensions 35 - 55 Tons
Mechanic Suspensions 55-70 Tons
Tare Weight \pm %3: 10.800 - 14.000 Kg



External Length : 11.500 - 15.000 mm
Platform Length: 8.500 - 11.500 mm
Platform Width : 2.500 + 600m (Width / Side Extensions)
Platform Height : 850 mm - 1.100 mm
Extendable Platform : +3.000mm / +7.000 mm



EBS Brake systems
ABS Brake systems
Single - Double (Foldable) hydraulic ramp systems



Colors : Customer Request RAL code



#3axlelowbed



4 axle Lowbed

4 axels lowbed semi trailers using for special transport for 50-70 Tons capacity with ity working for in confined areas
From 3 to 6 axles, these trailers also have a hydraulic drive system that is controlled remotely or by truck.

LIDER TRAILER manufacturing lowbed semi trailer designed according to customer loads and their request dimensions

- Hydraulic steering systems (optional)
- Self Steering axle systems (Lider Axles)
- Extendable (optional)
- Different suspension systems (Mechanical –Air)
- Manufacturing with special size and type according to load
- Custom design
- Manufacturing according to your work and transport



Axle : 4 x 14 - 16 Tons
Wheels : 245/70 - 17,5
235/75 - 19,5
275/70 - 22,5
12 R - 22,5



Air Suspensions 35 - 55 Tons
Mechanic Suspensions 55-70 Tons
Tare Weight ± %3: 10.500 - 17.000 Kg



External Length : 11.500 - 15.000 mm
Platform Length : 8.500 - 13.500 mm
Platform Width : 2.500 + 600 mm - 3.000 + 600mm
(Width / Side Extensions)
Platform Height : 850 mm – 1.100 mm
Extendable Platform : +3.000 mm / + 7.000 mm



EBS Brake System
ABS Brake System
Single – Double (Foldable) hydraulic ramp systems



Colors : Customer Request RAL code



#4axlelowbed



5 axle Lowbed

5 axels lowbed semi trailers using for special transport for 40-90 Tons capacity with it's working for in confined areas
Optional Lider trailer can add extendable platform.

LIDER TRAILER manufacturing lowbed semi trailer designed according to customer loads and their request dimensions

- Hydraulic steering systems (optional)
- Self Steering axle systems (Lider Axles)
- Extendable (optional)
- Different suspension systems (Mechanical -Air)
- Manufacturing with special size and type according to load
- Custom design
- Manufacturing according to your work and transport



Axle : 5 x 12 - 14 - 16 Tons
Wheels : 245/70 - 17,5
235/70 - 17,5
245/75 - 19,5
235/75 - 19,5



Air Suspensions 35 - 70 Tons
Mechanic Suspensions 60 - 90 Tons
Tare Weight \pm %3 : 10.500 - 18.000 Kg



External Length : 11.500 - 15.000 mm
Platform Length : 8.000 - 13.500 mm
Platform Width : 2.500 + 600 mm - 3000 + 600 mm
(Width / Side Extensions)
Platform Height : 850 mm - 1150 mm
Extendable Platform : +3.000mm / +7.000 mm



EBS Brake systems
ABS Brake systems
Single - Double (Foldable) hydraulic ramp systems



Colors : Customer Request RAL code



#5axlelowbed

Multi axle Lowbed

Multi axles lowbed semi trailer using for transformer, airplane wing, and other special project transport. With the latest generation of Lider Trailers (Multi Axles Low-bed Semi Trailer) which has a hydraulic remote steering system, with a bearing capacity of more than 130 tons, the Multi axles Trailers can load any kind of payload.

Also, it can expand from 3 to 10 meters to match the length of the load.

- Hydraulic steering systems (optional)
- Self Steering axle systems (Lider Axles)
- Extendable (optional)
- Different suspension systems (Hydraulic -Air)
- Manufacturing with special size and type according to load
- Custom design
- Manufacturing according to your work and transport



Axle : 8 axle - 12 axle - 12-14-16 Tons
Wheels : 245/70 - 17,5
235/70 - 17,5
245/75 - 19,5
235/75 - 19,5



Air Suspensions 35 - 180 Tons
Tare Weight \pm %3 : 10.500 - 25.000 Kg



External Length : 11.500 - 17.000 mm
Platform Length : 8.000 - 14.500 mm
Platform Width : 2.500 + 600 mm - 3.000 + 600mm
(Width / Side Extensions)
Platform Height : 850 mm - 1.150 mm
Extendable Platform : +3.000 mm / + 8.000 mm



EBS Brake System
ABS Brake System
Single - Double (Foldable) hydraulic ramp systems



Colors : Customer Request RAL code



#multiaxlelowbed



3 axle Dumper

Lider Trailer manufacture the best types of dumper semi trailer which possess a high-quality practical system that has been designed according to the harsh working standards. Tipper semi trailer is manufactured with the latest technological systems that contribute to raising the quality of the trailer.

Our company is keen on choosing the best raw materials for manufacture such as steel, axles, braking systems ... that help easily deal with the tipper semi trailer and give more stability when working.

- Production in different capacities and sizes
- With different steel types (Hardox 450 – Domex –ST 52)
- High capacity Cylinder systems
- Special design according to customer demands
- Heavy capacity telescopic cylinders 5 and 6 Stroke options
- With different types of Disc or Drum type axles



Axle : 3 x 12 - 16 Tons 4 x 12 - 16 Tons
Wheels : 385/65 R - 22,5 (Single)
12 R 22,5 (Double)



Air Suspensions 35 - 55 Tons
Mechanic Suspensions 50-80 Tons
Tare Weight \pm %3: 6.800 - 11.000 Kg



External Length : 8.732 - 12.000 mm
Total Width : 2.500 mm
Height : 3.213 - 3.600 mm
Volume : 24m³ - 55m³



EBS Brake System
ABS Brake System



Colors : Customer Request RAL code



#3axledumper



4 axle Dumper

Lider Trailer manufacture the best types of dumper semi trailer which possess a high-quality practical system that has been designed according to the harsh working standards.

Tipper semi trailer is manufactured with the latest technological systems that contribute to raising the quality of the trailer. Our company is keen on choosing the best raw materials for manufacture such as steel, axles, braking systems ... that help easily deal with the tipper semi trailer and give more stability when working. Lider Trailer 4 axels tippers designed for Heavy capacity loading and for off road conditions.

- Production in different capacities and sizes
- With different steel types
- High capacity
- Special design according to customer demand
- 1 or 2 telescopic cylinders from the front
- With different types of axles and axle caps



Axle : 3 x 12 - 16 Tons 4 x 12 - 16 Tons 5 x 12 - 16 Tons
Wheels : 385/65 R - 22,5 (Single)
12 R - 22,5 (Double)
13 R - 22,5 (Double)



Air Suspensions 40 - 90 Tons
Mechanic Suspensions 50-90 Tons
Tare Weight \pm %3 : 8.500 - 11.500 Kg



External Length : 8.732 - 12.000 mm
Total Width : 2.500 - 2.750 mm
Height : 3.213 - 3.800 mm
Volume : 24m³ - 55m³



EBS Brake System
ABS Brake System



Colors : Customer Request RAL code



#4axleDumper

LIDER TRAILER
+90 505 355 15 27
www.lidertrailer.com

Flatbed Trailer

The flatbed semi trailer is adopted for transporting long loads, construction equipment, steel, payloads and other different loads. Lider trailer manufacture a flatbed semi-trailers with reinforced steel floor. The front part of the semi-trailer helps to focus the loads.

The back of the trailer is also designed to withstand the tough loads.

- Manufacture with different dimisions
- with different loading capacities
- special designs
- 2,3,4 ... axles as per to customer request
- Extendable (Prolong)(optional)
- Different suspension systems



Axle : 3 x 12 - 16 Tons 4 x 12 - 16 Tons
Wheels : 385/65 R- 22,5
12 R - 22,5



Air Suspensions 35 - 50 Tons
Mechanic Suspensions 50 - 70 Tons
Tare Weight \pm %3: 7.000 - 8.000 Kg
(Steering Trunable Axle Options)



External Length : 11.500 - 13.000 mm
Total Width: 2.500 mm
Height : 1.100 - 1.200 mm



EBS Brake System
ABS Brake System



Colors : Customer Request RAL code



#FlatbedTailer



Bitumen Tanker

Bitumen transport tanks or as they are also called hot asphalt transport tanks, these tanks are relied on in road construction . These tankers can be used for transport the without heating systems I bitumen and with heating systems bitumen . Single or Double brulor systems

- Special chrome plating (optional)
- with heating system and electric generator
- Manufacture with different sizes and capacities
- manufacture of special requests according to customer requests
- include diesel engine or Electrical engine
- 100 mm - Woolstone or iso glass coating
- 28 M³ -40M³ Capacity



Axle : 3 x 12 - 16 Tons - 4 x 12 -16 Tons
Wheels : 385/65 R- 22,5 (Single)
12R - 22,5 (Double)



Air Suspensions 35 - 50 Tons
Mechanic Suspensions 40 - 60 Tons
Tare Weight ± %3 : 7.400 Kg
(Steering Trunable Axle Options)



External Length : 8.000 - 12.000 mm
Total Width: 2.500 mm
Height : 3.000 - 3.300 mm
Volume : 28 m³ - 40 m³



EBS Brake System
ABS Brake System



Colors : Customer Request RAL code



#BitumenTanker



Cement Tanker

Bulk cement tanks are the most famous of their kind, as all types of bulk materials are transported on board. These tanks contain a compressor that extracts the cement and expels it outward by the pressure it generates.

These tanks are manufactured with different sizes and sizes according to the customer's request. Manufacturing is carried out with the latest technological systems. It can be using for agriculture industry also as SLURRY TANKER

- Electrical or Deutz Diesel Engine compressor Options
- "V" type, Euro type "millennium", tipping type can be choose
- Manufacture with different capacities as per to customer request
- Manufactured in compliance with all harsh working conditions
- Vacuum type also in World standards with customer request options
- Slurry tanker also can be manufacture for agriculture using as costumer request types



Axle : 3 x 12 - 14-16 Tons - 4 x 12 - 14-16 Tons
Wheels : 385/65 R - 22,5
12 R - 22,5 / 1.200 x 24



Air Suspension : 35 - 60 Tons
Mechanic Suspensions : 35 - 80Tons
Tare Weight \pm %3: 5.500 - 9.000 Kg



External Length : 8.300 - 14.00 mm
Total Width : 2.550 mm
Height : 3.800 - 4.100 mm
Volume : 28m³ - 60m³



EBS Brake System
ABS Brake System



Colors : Customer Request RAL code



#Cementtanker



Scrap Tipper

The scrap tipper semi trailer used in all types of scrap transportation is produced according to customer demand.

Usually, the scrap tipper is produced with a large capacity.

Lider Trailer manufactures all types of scrap tipper semi trailer with different volumes and capacities as per to customer's request .

- Production in different capacities and sizes
- With different steel types
- High capacity
- Special design according to customer demand
- Heavy Type or Light Type telescopic cylinders from the front
- With different types of axles and axle caps



Axle : 3 x 12 - 16 Tons 4 x 12 - 16 Tons
Wheels : 385/65 R - 22,5
12R - 22,5



Air Suspensions 45 - 50 Tons
Mechanic Suspensions 60 - 70 Tons
Tare Weight \pm %3 : 7.000 - 8.500 Kg



External Length : 8.732 - 11.000 mm
Total Width : 2.500 mm
Height : 3.213 - 3.500 mm
Volume : 24 m³ - 45 m³



EBS Brake System
ABS Brake System



Colors : Customer Request RAL code



#Scrapdumper



Fuel Tanker

Transportation of fuel is a difficult challenge that becomes more difficult when transportation is restricted under certain conditions. But with the Lider tanker semi trailer it's easy. Tanker semi trailer are produced at Lider Trailer to with stand the harsh working conditions, they are also designed to transport fuel safely without any risks.

Fuel tanker semi trailer are made with different sizes to suit the load required by the customer.

Lider Trailer offers many solutions and designs for these tanks, as it produces from the designs that we offer the best types of tanker semi trailers.

According Customer Request compartment.



Axle : 3 x 12 - 16 Tons 4 x 12 - 16 Tons
Wheels : 385/65 R - 22,5 (Single)
12 R - 22,5 (Double)



Air Suspensions 35 - 40 - 45 - 50 Tons
Mechanic Suspensions 50-70 Tons
Tare Weight ± %3 : 8.325 Kg
Compartment 3 - 8



External Length : 8.000 - 11.000 mm
Total Width : 2.500 mm
Height : 3.500 mm
Volume : 35m³ - 55m³



EBS Brake System
ABS Brake System



Colors : Customer Request RAL code



#fueltanker

Remorque Type Lowbed

Due to varying loads in size, type and weight, this model of trailer is generally used for Agriculture, Public works, Construction machine transport, to transport Industrial equipment.

These trailers remote or truck controlled hydraulic drive system

- Hydraulic steering systems (optional)
- Self steering axles systems (Lider Axles)
- Extendable (optional)
- Different suspension systems (Mechanical - Air)
- Manufacturing with special size and type according to load
- Custom designz
- Manufacturing according to you work and transport



Axle : 3 x 14 - 16 Tons
Wheels : 245/70 R17,5
235/75 R19,5
275/70 R22,5
12R - 22,5



Air Suspensions 35 - 55 Tons
Mechanic Suspensions 55 - 70 Tons
Tare Weight ±%3 : 7.000 - 13.000 Kg



External Length :
Platform Length : 5.000 - 10.000mm
Platform Width : 2.500 +600m (Width/Side Extensions)
Platform Height : 850 - 1200 mm
Extendable Platform : + 2.500mm / 4.000mm



EBS Brake System
ABS Brake System
Single - Double (foldable) Hydraulic Rampe Systems



Colors : Customer Request RAL code



#RemorqueTypeLowbed

Container Chassis

The container semi-trailer is adopted for container transport
They are suitably designed for mounting and fixing of containers.

- Manufacture with different dimisions
- With different loading capacities
- Special designs
- 2,3,4... axles as per to customer request
- Extendable (prolong)(optional)
- Different suspension systems



Axle : 3 x 12 -16 Tons
4 x 12 -16 Tons
Wheels : 385/65 R - 22,5
12 R - 22,5



Air Suspension : 35 - 50 Tons
Mechanic Suspensions : 50 - 70Tons
Tare Weight \pm %3 : 4.000 - 5500 kg



External Length : 15.000 mm
Total Width: 2.550 mm
Height : 950 - 1150 mm



EBS Brake System
ABS Brake System



Colors : Customer Request RAL code



#ContainerChassis

